



Residential Certificate of Lighting Fixtures

Coos County
Community Development
1155 S 5th St
Coos Bay, OR 97420
541-266-1098

www.co.coos.or.us/community-dev
building@co.coos.or.us

INTRODUCTION

The Oregon Residential Specialty Code (ORSC) Section N1107 requires that all permanently installed lighting fixtures of a dwelling unit, and guest rooms within residential buildings be “high efficiency light sources.”

ORSC Section N1102 defines “high efficiency light source” as compact fluorescent lamps, T-8 or smaller diameter linear fluorescent lamps, LED lamps, fixture-integrated illumination devices, or other lamp types with an efficacy not less than 65 lumens per watt for each lamp or luminaires with an efficacy not less than 45 lumens per watt for each luminaire.

ORSC Sections N1107 and N1101.4 require a contractor, builder, or owner to notify the Building Official that the requirements for high efficiency light sources have been complied with. Notification must be submitted no later than the final inspection. This form must be used to provide notification to the Building Official.

This completed and signed form may either be delivered, mailed, or emailed to the address on this form.

INFORMATION

Permit number: _____

Project address: _____

City: _____ **County:** _____

Subdivision/lot: _____ **Map/tax lot:** _____
(If applicable) *(If applicable)*

EXCEPTIONS (if applicable)

Exception: Two interior and two exterior permanently installed light fixtures are not required to be high efficiency light sources when controlled by a dimmer or automatic control.

- | | |
|--|--|
| <input type="checkbox"/> Interior fixtures (Maximum of 2) | <input type="checkbox"/> Exterior fixtures (Maximum of 2) |
| Location: _____ | Location: _____ |
| Description: _____ | Description: _____ |
| Location: _____ | Location: _____ |
| Description: _____ | Description: _____ |

I certify that the exceptions listed above are controlled by a dimmer or automatic control.

ACKNOWLEDGEMENT

I hereby acknowledge that I am the contractor, builder, or owner for the permit at the listed address. All permanently installed lighting fixtures comply with the requirements of ORSC Sections N1107.2 and N1107.3. Failure to submit this form may delay final approval or issuance of a Certificate of Occupancy.

Signature: _____

By signing electronically, I agree that this agreement may be electronically signed. I agree my electronic signature on this certification is the same as a handwritten signature for the purposes of validity, enforceability, and admissibility.

Name (Printed): _____

Date: _____