

Scott + Lucy Raymond
 93852 Lawanna Ln.
 North Bend, OR. 97459

Forest Template Dwelling Supplemental Application:
 Coos County Zoning and Land Development Ordinance (CCZLDO)

SECTION 4.6.100 FOREST AND FOREST MIXED USE – USE TABLES Table 1 identifies the uses and activities in the Forest (F) and Forest/Mixed Use (FMU) zone. The tables describe the use, type of review, applicable review standards. Development shall also comply with Section 4.6.140 Development and Siting Standards. All dwellings and structures are subject to the siting standards found in Section 4.6.130. Exceptions to minimum lot and parcel sizes for the purpose of land division may apply as set out in Section 4.6.145 Land Division for Open Space and Special Assessment, and Section 4.6.145 Exceptions to Minimum Parcel Size. Properties that are located in a Special Development Consideration and/or overlays shall comply with the applicable review process identified by that Special Development Consideration and/or overlay located in Article 4.11.

If a use specifically states Forest Mixed Use only it is not permitted in the Forest Zone. If land is in a zone that allows both farm and forest uses, a dwelling may be sited based on the predominate use of the tract on January 1, 1993.

SECTION 4.6.110 (OAR 660-006-0025) Uses Authorized in Forest Zones (1) Goal 4 requires that forest land be conserved. Forest lands are conserved by adopting and applying comprehensive plan provisions and zoning regulations consistent with the goals and this rule. In addition to forest practices and operations and uses auxiliary to forest practices, as set forth in ORS 527.722, the Commission has determined that five general types of uses, as set forth in the goal, may be allowed in the forest environment, subject to the standards in the goal and in this rule. These general types of uses are: (a) Uses related to and in support of forest operations; (b) Uses to conserve soil, air and water quality and to provide for fish and wildlife resources, agriculture and recreational opportunities appropriate in a forest environment; (c) Locationally dependent uses, such as communication towers, mineral and aggregate resources, etc.; (d) Dwellings authorized by ORS 215.705 to 215.755; and (e) Other dwellings under prescribed conditions.

Use	TR	Subject to
Dwellings authorized by ORS 215.705 to 215.755; and (e) Other dwellings under prescribed conditions.		
63. Template Dwelling (Alternative forestland dwellings ORS 215.750)	ACU	(9)(B)(II), (9)(C)

(9)(B) DWELLING ON FOREST AND FOREST MIXED USE ZONES -

(II) Template Dwelling - 215.750 Alternative forestland dwellings; criteria.

- (1) In western Oregon, a governing body of a county or its designate may allow the establishment of a single-family dwelling on a lot or parcel located within a forest zone if the lot or parcel is predominantly composed of soils that are:
 - (a) Capable of producing 0 to 49 cubic feet per acre per year of wood fiber if:
 - (A) All or part of at least three other lots or parcels that existed on January 1, 1993, are within a 160-acre square centered on the center of the subject tract; and
 - (B) At least three dwellings existed on January 1, 1993, on the other lots or parcels continue to exist on the other lots or parcels;

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

- (b) Capable of producing 50 to 85 cubic feet per acre per year of wood fiber if:
 - (A) All or part of at least seven other lots or parcels that existed on January 1, 1993, are within a 160-acre square centered on the center of the subject tract; and
 - (B) At least three dwellings existed on January 1, 1993, on the other lots or parcels; or
- (c) Capable of producing more than 85 cubic feet per acre per year of wood fiber if:
 - (A) All or part of at least 11 other lots or parcels that existed on January 1, 1993, are within a 160-acre square centered on the center of the subject tract; and
 - (B) At least three dwellings existed on January 1, 1993, on the other lots or parcels.
- (3) Lots or parcels within urban growth boundaries shall not be used to satisfy the eligibility requirements under subsection (1) or (2) of this section.
- (4) A proposed dwelling under this section is not allowed:
 - (a) If it is prohibited by or will not comply with the requirements of an acknowledged comprehensive plan and acknowledged land use regulations or other provisions of law.
 - (b) Unless it complies with the requirements of ORS 215.730.
 - (c) Unless no dwellings are allowed on other lots or parcels that make up the tract and deed restrictions established under ORS 215.740 (3) for the other lots or parcels that make up the tract are met.
 - (d) If the tract on which the dwelling will be sited includes a dwelling.
- (5) Except as described in subsection (6) of this section, if the tract under subsection (1) or (2) of this section abuts a road that existed on January 1, 1993, the measurement may be made by creating a 160-acre rectangle that is one mile long and one-fourth mile wide centered on the center of the subject tract and that is to the maximum extent possible, aligned with the road.
- (6) (a) If a tract 60 acres or larger described under subsection (1) or (2) of this section abuts a road or perennial stream, the measurement shall be made in accordance with subsection (5) of this section. However, one of the three required dwellings shall be on the same side of the road or stream as the tract and:
 - (A) Be located within a 160-acre rectangle that is one mile long and one-fourth mile wide centered on the center of the subject tract and that is, to the maximum extent possible, aligned with the road or stream; or
 - (B) Be within one-quarter mile from the edge of the subject tract but not outside the length of the 160-acre rectangle, and on the same side of the road or stream as the tract.
- (b) If a road crosses the tract on which the dwelling will be located, at least one of the three required dwellings shall be on the same side of the road as the proposed dwelling.
- (7) Notwithstanding subsection (4)(a) of this section, if the acknowledged comprehensive plan and land use regulations of a county require that a dwelling be located in a 160-acre square or rectangle described in subsection (1), (2), (5) or (6) of this section, a dwelling is in the 160-acre square or rectangle if any part of the dwelling is in the 160-acre square or rectangle. [1993 c.792 §4(6),(7),(8); 1999 c.59 §58; 2005 c.289 §1]

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

Response to SECTION 4.6.110(9)(B)(II)

--Property qualifies for template- Prior conditional use ACU-06-075

9(C) ADDITIONAL CRITERIA FOR ALL DWELLINGS ALLOWED IN THE FOREST AND FOREST MIXED USE ZONES.

- (1) A local government shall require as a condition of approval of a single-family dwelling allowed on lands zoned forestland:
- (a) If the lot or parcel is more than 10 acres in western Oregon as defined in ORS 321.257, the property owner submits a stocking survey report to the assessor and the assessor verifies that the minimum stocking requirements adopted under ORS 527.610 to 527.770 have been met.

Response to SECTION 4.6.110(9)(C)(1)(a)

--N/A Less than 10 acres- Does not apply

- (b) the dwelling meets the following requirements:
(A) The dwelling has a fire retardant roof.

Response to SECTION 4.6.110(9)(C)(1)(b)(A)

--Fire retardant roofing materials will be used

(B) The dwelling will not be sited on a slope of greater than 40 percent.

Response to SECTION 4.6.110(9)(C)(1)(b)(B)

--The dwelling will not be sited on a slope of greater than 40 percent

(C) Evidence is provided that the domestic water supply is from a source authorized by the Water Resources Department and not from a Class II stream as designated by the State Board of Forestry.

Response to SECTION 4.6.110(9)(C)(1)(b)(C)

--Water source is from a well

(D) The dwelling is located upon a parcel within a fire protection district or is provided with residential fire protection by contract.

Response to SECTION 4.6.110(9)(C)(1)(b)(D)

--Parcel is located in the Hauser Fire District

Scott + Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

(E) If the dwelling is not within a fire protection district, the applicant provides evidence that the applicant has asked to be included in the nearest such district.

Response to SECTION 4.6.110(9)(C)(1)(b)(E)

--N/A- Due to Hauser Fire District

(F) If the dwelling has a chimney or chimneys, each chimney has a spark arrester.

Response to SECTION 4.6.110(9)(C)(1)(b)(F)

--Spark arrestors will be installed on the fireplace

(G) The owner provides and maintains primary fuel-free break and secondary break areas on land surrounding the dwelling that is owned or controlled by the owner.

Response to SECTION 4.6.110(9)(C)(1)(b)(G)

-- Will provide and maintain primary fuel-free break and secondary break as required

(2) (a) If a governing body determines that meeting the requirement of subsection (1)(b)(D) of this section would be impracticable, the governing body may provide an alternative means for protecting the dwelling from fire hazards. The means selected may include a fire sprinkling system, on-site equipment and water storage or other methods that are reasonable, given the site conditions. The applicant shall request and provide alternatives to be considered.

(b) If a water supply is required under this subsection, it shall be a swimming pool, pond, lake or similar body of water that at all times contains at least 4,000 gallons or a stream that has a minimum flow of at least one cubic foot per second. Road access shall be provided to within 15 feet of the water's edge for fire-fighting pumping units, and the road access shall accommodate a turnaround for fire-fighting equipment. [1993 c.792 §5; 1995 c.812 §6; 1997 c.293 §1; 2003 c.621 §103]

Response to SECTION 4.6.110(9)(C)(2)(a) & (b) – If you are requesting alternative forms of fire protection because you are outside of a Fire District and or provided with residential fire protection by contract, please provide additional solutions to fire protection. If you are within a fire district you do not need to respond to these criteria.

--Parcel is located in Hauser Fire District

130 ADDITIONAL CRITERIA FOR ALL NEW AND REPLACEMENT DWELLINGS AND STRUCTURES IN FOREST

The following siting criteria or their equivalent shall apply to all new dwellings and structures in forest and agriculture/forest zones. These criteria are designed to make such uses compatible with forest operations and agriculture, to minimize wildfire hazards and risks and to conserve values found on forest

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

lands. A governing body shall consider the criteria in this rule together with the requirements OAR 660-0060-0035 to identify the building site:

- (1) Dwellings and structures shall be sited on the parcel so that:
- (a) They have the least impact on nearby¹ or adjoining forest or agricultural lands;

Response to SECTION 4.6.130(1)(a) – Describe how the placement of the dwelling will have the least impact on nearby or adjoining forest or agricultural lands:

----The dwelling is sited close to the access road. There is no timber production or farming on the adjoining forest/ properties.

- (b) The siting ensures that adverse impacts on forest operations and accepted farming practices on the tract will be minimized;

Response to SECTION 4.6.130(1)(b) – Describe any forest or farming practices that are occurring on the subject tract. “Tract means land within the same ownership that is contiguous”. Describe how the placement of the dwelling will ensure that adverse impacts on forest operations and accepted farming practices on the tract will be minimized.

--There are no forest or farming practices on the subject tract.

- (c) The amount of forest lands used to site access roads, service corridors, the dwelling and structures is minimized; and

Response to SECTION 4.6.130(1)(c) – How much acreage will be removed for site access roads, service corridors, dwelling and other structures. Could less property be removed from forest lands to support the proposed development. Please make sure plot plan matches any of the proposed development. Minimizing may include setbacks from adjoining properties, clustering near or among existing structures, siting close to existing roads and siting on that portion of the parcel least suited for growing trees.

--Access already in and cleared. Will not remove any more trees except for fire safety setback.

- (d) The risks associated with wildfire are minimized.

¹ For the purpose of this section “Nearby” is defined as within the decision notification area as defined in Section 5.0.900(2) for farm zoned property.

Scott & Lucy Raymond
93852 Lawana Ln,
North Bend, OR 97459

Response to SECTION 4.6.130(1)(d) – Describe how the risks associated with wildfire are minimized. This section may include setbacks from adjoining properties, clustering near or among existing structures, siting close to existing roads and siting on that portion of the parcel least suited for growing trees.

--Siting plot near to access road. Will meet setbacks to adjoining properties.

- (2) Siting criteria satisfying section (1) of this section may include setbacks from adjoining properties, clustering near or among existing structures, siting close to existing roads and siting on that portion of the parcel least suited for growing trees.

If you would like to provide addition explanation of Section (1) please use this space:

--Water report was submitted with prior conditional use report ACU-06-075

- (3) The applicant shall provide evidence to the governing body that the domestic water supply is from a source authorized in accordance with the Water Resources Department's administrative rules for the appropriation of ground water or surface water and not from a Class II stream as defined in the Forest Practices rules (OAR chapter 629). For purposes of this section, evidence of a domestic water supply means:
- (a) Verification from a water purveyor that the use described in the application will be served by the purveyor under the purveyor's rights to appropriate water;
 - (b) A water use permit issued by the Water Resources Department for the use described in the application; or
 - (c) Verification from the Water Resources Department that a water use permit is not required for the use described in the application. If the proposed water supply is from a well and is exempt from permitting requirements under ORS 537.545, the applicant shall submit the well constructor's report to the county upon completion of the well.

Response to SECTION 4.6.130(3) – Please describe water source if need assistance you may contact Oregon Water Resource Department:

--Barrington Well LLC installed well in 2007. Please see State of Oregon Water Supply Well Report

- (4) As a condition of approval, if road access to the dwelling is by a road owned and maintained by a private party or by the Oregon Department of Forestry, the U.S. Bureau of Land Management, or the U.S. Forest Service, then the applicant shall provide proof of a long-term road access use permit

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR. 97459

or agreement. The road use permit may require the applicant to agree to accept responsibility for road maintenance.

Response to SECTION 4.6.130(4) – Please explain if the road that is accessing the property is private or public. If it is private, ODF, BLM or US Forest Service a long-term road access use permit or agreement shall be provided with the application or acknowledgment by the applicant that this will be a condition of approval.

--Private road maintained by homeowners.

- (5) Approval of a dwelling shall be subject to the following requirements:
- (a) Approval of a dwelling requires the owner of the tract to plant a sufficient number of trees on the tract to demonstrate that the tract is reasonably expected to meet Department of Forestry stocking requirements at the time specified in department of Forestry administrative rules;
 - (b) The planning department shall notify the county assessor of the above condition at the time the dwelling is approved;
 - (c) If the lot or parcel is more than 10 acres in western Oregon or more than 30 acres in eastern Oregon, the property owner shall submit a stocking survey report to the county assessor and the assessor will verify that the minimum stocking requirements have been met by the time required by Department of Forestry rules;
 - (d) Upon notification by the assessor the Department of Forestry will determine whether the tract meets minimum stocking requirements of the Forest Practices Act. If that department determines that the tract does not meet those requirements, that department will notify the owner and the assessor that the land is not being managed as forest land. The assessor will then remove the forest land designation pursuant to ORS 321.359 and impose the additional tax; and
 - (e) The county governing body or its designate shall require as a condition of approval of a single-family dwelling under ORS 215.213, 215.383 or 215.284 or otherwise in a farm or forest zone, that the landowner for the dwelling sign and record in the deed records for the county a document binding the landowner, and the landowner's successors in interest, prohibiting them from pursuing a claim for relief or cause of action alleging injury from farming or forest practices for which no action or claim is allowed under ORS 30.936 or 30.937.

Response to SECTION 4.6.130(5) – The Planning Department will request comments from the Assessor's Office regarding restocking. Please acknowledge that you will follow the restocking requirements.

--N/A Does not apply

SECTION 4.6.140 DEVELOPMENT AND SITING CRITERIA:

This section contain all of the development standards for uses (unless otherwise accepted out by a use review) and all of the siting standards for development.

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

1. Minimum Lot Size for the creation of new parcels shall be at least 80 acres. Minimum lot size will not affect approval for development unless specified in use. The size of the parcel will not prohibit development as long as it was lawfully created or otherwise required to be a certain size in order to qualify for a use.
2. Setbacks: All buildings or structures with the exception of fences shall be set back a minimum of thirty-five (35) feet from any road right-of-way centerline, or five (5) feet from any right-of-way line, whichever is greater.
3. Fences, Hedges and Walls: No requirement, except for vision clearance provisions in Section 7.1.525.
4. Off-Street Parking and Loading: See Chapter VII.
5. Minimizing Impacts: In order to minimize the impact of dwellings in forest lands, all applicants requesting a single family dwelling shall acknowledge and file in the deed record of Coos County, a Forest Management Covenant. The Forest Management Covenant shall be filed prior to any final County approval for a single family dwelling.
6. Riparian Vegetation Protection. Riparian vegetation within 50 feet of a wetland, stream, lake or river, as identified on the Coastal Shoreland and Fish and Wildlife habitat inventory maps shall be maintained except that:
 - a. Trees certified as posing an erosion or safety hazard. Property owner is responsible for ensuring compliance with all local, state and federal agencies for the removal of the tree.
 - b. Riparian vegetation may be removed to provide direct access for a water-dependent use if it is a listed permitted within the zoning district;
 - c. Riparian vegetation may be removed in order to allow establishment of authorized structural shoreline stabilization measures;
 - d. Riparian vegetation may be removed to facilitate stream or stream bank clearance projects under a port district, ODFW, BLM, Soil & Water Conservation District, or USFS stream enhancement plan;
 - e. Riparian vegetation may be removed in order to site or properly maintain public utilities and road right-of-ways;
 - f. Riparian vegetation may be removed in conjunction with existing agricultural operations (e.g., to site or maintain irrigation pumps, to limit encroaching brush, to allow harvesting farm crops customarily grown within riparian corridors, etc.) provided that such vegetation removal does not encroach further into the vegetation buffer except as needed to provide an access to the water to site or maintain irrigation pumps; or
 - g. The 50 foot riparian vegetation setback shall not apply in any instance where an existing structure was lawfully established and an addition or alteration to said structure is to be sited not closer to the estuarine wetland, stream, lake, or river than the existing structure and said addition or alteration represents not more than 100% of the size of the existing structure's "footprint".
 - h. Riparian removal within the Coastal Shoreland Boundary will require a conditional use. See Special Development Considerations Coastal Shoreland Boundary.
 - i. The 50' measurement shall be taken from the closest point of the ordinary high water mark to the structure using a right angle from the ordinary high water mark.
7. All new dwellings and permanent structures and replacement dwellings and structures shall, at a minimum, meet the following standards. The dwelling shall be located within a fire protection district

Scott & Lucy Raymond
 93852 Lawana Ln,
 North Bend, OR, 97459

or shall be provided with residential fire protection by contract. If the dwelling is not within a fire protection district, the applicant shall provide evidence that the applicant has asked to be included within the nearest such district. If the applicant is outside the rural fire protection district, the applicant shall provide evidence that they have contacted the Coos Forest Protective Association of the proposed development.

8. The Planning Director may authorize alternative forms of fire protection when it is determined that these standards are impractical that shall comply with the following:
 - a. The means selected may include a fire sprinkling system, onsite equipment and water storage or other methods that are reasonable, given the site conditions;
 - b. If a water supply is required for fire protection, it shall be a swimming pool, pond, lake, or similar body of water that at all times contains at least 4,000 gallons or a stream that has a continuous year round flow of at least one cubic foot per second;
 - c. The applicant shall provide verification from the Water Resources Department that any permits or registrations required for water diversion or storage have been obtained or that permits or registrations are not required for the use; and
 - d. Road access shall be provided to within 15 feet of the water's edge for firefighting pumping units. The road access shall accommodate the turnaround of firefighting equipment during fire season. Permanent signs shall be posted along the access route to indicate the location of the emergency water source.

9. Fire Siting Standards for New Dwellings:
 - a. The property owner shall provide and maintain a water supply of at least 500 gallons with an operating water pressure of at least 50 PSI and sufficient ¾ inch garden hose to reach the perimeter of the primary fuel-free building setback.
 - b. If another water supply (such as a swimming pool, pond, stream, or lake) is nearby, available, and suitable for fire protection, then road access to within 15 feet of the water's edge shall be provided for pumping units. The road access shall accommodate the turnaround of firefighting equipment during the fire season. Permanent signs shall be posted along the access route to indicate the location of the emergency water source.

10. Firebreak:
 - a. This firebreak will be a primary safety zone around all structures. Vegetation within this primary safety zone may include mowed grasses, low shrubs (less than ground floor window height), and trees that are spaced with more than 15 feet between the crowns and pruned to remove dead and low (less than 8 feet from the ground) branches. Accumulated needles, limbs and other dead vegetation should be removed from beneath trees.
 - b. Sufficient garden hose to reach the perimeter of the primary safety zone shall be available at all times.
 - c. The owners of the dwelling shall maintain a primary fuel-free break area surrounding all structures and clear and maintain a secondary fuel-free break on land surrounding all structures and clear and maintain a secondary fuel-free break area on land surrounding the dwelling that is owned or controlled by the owner in accordance with the provisions in "Recommended Fire Siting Standards for Dwellings and Structures and Fire Safety Design Standards for Roads" dated March 1, 1991, and published by Oregon Department of Forestry and shall demonstrate compliance with Table 1.

Table 1 – Minimum Primary Safety Zone

Slope	Feet of Primary Safety Zone	Feet of Additional Primary Safety Zone Down Slope
-------	-----------------------------	---------------------------------------------------

Scott & Lucy Raymond
93852 Lawna Ln.
North Bend, OR. 97459

0%	30	0
10%	30	50
20%	30	75
25%	30	100
40%	30	150

11. All new and replacement structures shall use non-combustible or fire resistant roofing materials, as may be approved by the certified official responsible for the building permit.
12. If a water supply exceeding 4,000 gallons is suitable and available (within 100 feet of the driveway or road) for fire suppression, then road access and turning space shall be provided for fire protection pumping units to the source during fire season. This includes water supplies such as a swimming pool, tank or natural water supply (e.g. pond).
13. The dwelling shall not be sited on a slope of greater than 40 percent.
14. If the dwelling has a chimney or chimneys, each chimney shall have a spark arrester.
15. The dwelling shall be located upon a parcel within a fire protection district or shall be provided with residential fire protection by contract. If the dwelling is not within a fire protection district, the applicant shall provide evidence that the applicant has asked to be included within the nearest such district.
16. Except for private roads and bridges accessing only commercial forest uses, public roads, bridges, private roads and driveways shall be constructed so as to provide adequate access for firefighting equipment.
17. Access to new dwellings shall meet road and driveway standards in Chapter VII.

Response to SECTION 4.6.140

Is the property a legal unit of land?

-Yes- Determined in 2002. A discreet parcel determination

Will the applicant meet the road setback (should be shown on plot plan)?

-Yes 35 ft. (plus)

Will a Fence, Hedge and/or Wall be developed at this time? If so will it comply with the vision triangle?

-No fence, hedge or wall is being developed.

Has a driveway/access/parking permit been requested at the time of the application?

-One was provided with prior application.

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

Has the applicant acknowledge and file in the deed record of Coos County, a Forest Management Covenant prior to receiving a zoning compliance letter.

-Submitted with prior application.

Has the applicant shown any waterways that require a 50 feet setback and if so will the setback be met?

-No waterways within 50 feet.

Is the property within a Fire Protection District, if so which one?

-Hauser Fire District

The applicant acknowledges that they will provide and maintain a water supply of at least 500 gallons with an operating water pressure of at least 50 PSI and sufficient ¾ inch garden hose to reach the perimeter of the primary fuel-free building setback.

-We will provide.

Additional Primary Safety Zone Down Slope will be required based on the slope of the property.

What is the slope of the property? If the slope differs from the soil report please explain.

The building site has little to no slope. Beyond that the slope is 26% or less..

Please acknowledge that the proposed dwelling use non-combustible or fire resistant roofing materials.

Materials will be fire resistant

Is there a water supply exceeding 4,000 gallons available to the site within your ownership?

N/A

The applicant acknowledges dwelling will not be sited on a slope of greater than 40 percent.

Yes we acknowledge.

Does the proposed dwelling have a chimney and if so will a spark arrester be installed?

Yes, a spark arrester will be installed on the chimney.

Property Owners- Scott & Lucy Raymond

Address- 93852 Lawanna Lane North Bend, 97459

Scott & Lucy Raymond
93852 Lawanna Ln.
North Bend, OR, 97459

COOS 53842

STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by ORS 537.765)

WELL I.D. # L 88503
START CARD # 182988

Instructions for completing this report are on the last page of this form.

(1) LAND OWNER: Well Number _____
Name Roy & Ginger Launder
Address 29225 Crescent Hill
City Sweet Home State OR Zip 97386

(2) TYPE OF WORK
 New Well Deepening Alteration (repair/recondition) Abandonment

(3) DRILL METHOD:
 Rotary Air Rotary Mud Cable Auger
 Other _____

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Livestock Other _____

(5) BORE HOLE CONSTRUCTION:
Special Construction approval Yes No Depth of Completed Well 205
Explosives used Yes No Type _____ Amount _____

HOLE				SEAL			
Diameter	From	To	Material	From	To	Material	Notes
6	0	20	Bent	20	0	TS	
6	20	205					

How was seal placed: Method A B C D E
 Other Poured

Backfill placed from _____ ft. to _____ ft. Material _____
Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

Casing	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
	6	12	107	250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner	4 1/2	5	205	SRR16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Drive Shoe used Inside Outside None
Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:

Perforations Method SAW
 Screens Type _____ Material _____

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
120	205	1/4 x 5	96	4 1/2		<input type="checkbox"/>	<input checked="" type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Yield gal/min	Drawdown	Drill stem at	Flowing Time
10		205	1 hr.

Temperature of water 52° Depth Artesian Flow Found _____
Was a water analysis done? Yes By whom _____
Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other _____
Depth of strata: _____

(9) LOCATION OF WELL by legal description:
County COOS Latitude _____ Longitude _____
Township 23 N of S Range 13 E or W WM.
Section 35 NW 1/4 NE 1/4
Tax Lot 200 Lot _____ Block _____ Subdivision _____
Street Address of Well (or nearest address) 20392 Stage Rd North Bend, OR

(10) STATIC WATER LEVEL:
_____ ft. below land surface. Date 01-17-07
Artesian pressure _____ lb. per square inch Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found 120

From	To	Estimated Flow Rate	SWL
120	200	10 GPM	67

(12) WELL LOG:

Ground Elevation _____

Material	From	To	SWL
Brown Clay	0	5	
Brown Claystone	5	95	
Blue claystone	95	184	67
Blue sandstone	184	193	
Blue claystone & sandstone mix	193	205	

RECEIVED

FEB 02 2007

WATER RESOURCES DEPT
SALEM, OREGON

Date started 01-12-07 Completed 01-17-07

(unbonded) Water Well Constructor Certification:
I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

Signed Timnee Steven Clark WWC Number _____ Date _____

(bonded) Water Well Constructor Certification:
I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Signed Ron Baruff WWC Number 1881 Date 01-26-07

ORIGINAL - WATER RESOURCES DEPARTMENT FIRST COPY - CONSTRUCTOR SECOND COPY - CUSTOMER

Thank you,
Amy Dibble